



European Retail Pricelist – July 2011

		<i>Retail</i>
Framesets		
F-1 X-link 4.0	X-c racing / marathon specific , Stable Platform shock, UBA 7000 T6 tubing, sizes S-M-L, 1980gr/4.4Lb (shock included, M size) (Disc or V-brake option)	1799
F-2 Swinglink 4.0	Enduro / marathon, 95mm progressive travel, UBA 7000 T6 tubing, sizes S-M-L, 2080gr/4.6Lb (shock included, M size) (Disc or V-brake option)	1799
Rc-1 Ultra	Racing specific, hyper efficient & comfortable A-shock tail, hyper slooping geometry, Hyper Butted Oversized Scandium 7020 T6, disc-only, sizes XS-S-M-L-XL, 1180gr/2.4Lb (Size M) (V-brake + disc option on request)	1799
Rc-1 Oxyd	Racing specific, hyper efficient & comfortable A-shock tail, hyper slooping geometry, UBA 7000 T6 tubing, disc-only, sizes S-M, 1190gr/2.7Lb (Size S)	1299
Anodized Finishings	Durable blasted anodized surface: Black, Cherry Red, Sea Blue, Silver, 0gr	
Powdercoat Finishings	Pure White, Matt Black, Gloss Black, Monza Red, Race Blue, Hot Yellow, adds 60gr on F1/F2 , 80gr on Rc1	
MTB Cockpit		
UltraStem OC	Hyper engineered 3D cnc stem, 1"-1/8 steer, 31.8mm oversized bars, +/-4° rise, 90-100-110-120mm, special Titanium GRD5 bolts, oversized and ultra rigid body, black anodized, Co2 laser etching, 85gr (90mm)	169
UltraStem UL3	Hyper engineered 3D cnc stem, 1"-1/8 steer, 25.4mm standard bars, +/-4° rise, 90-100-110-12-1300mm, special Titanium GRD5 bolts, oversized and ultra rigid body, black anodized, Co2 laser etching, 81gr (90mm)	169
UltraBar 580mm	X-c racing handlebar, 580mm, 4° bend, Carbon/Ergal composite, bar-end compatible with reinforced ends, natural matt carbon finish, exceeds Uni / Din safety standards, 105gr	99
UltraBar 560mm	X-c racing handlebar, 560mm, 4° bend, Carbon/Ergal composite, bar-end compatible with reinforced ends, natural matt carbon finish, exceeds Uni / Din safety standards, 105gr	99
UltraBar UL	X-c racing handlebar, 560mm, 4° bend, Carbon/Ergal composite, bar-end compatible with reinforced ends, natural matt carbon finish, exceeds Uni / Din safety standards, 98gr	119
CyberEnds	Bar extensions, hyper accurate 3D CNC construction, threaded AL7075TX body, special M5 GRD5 Titanium bolts, black-blue-gold-red-silver-orange-green anodized with laser etched graphics, 19.5gr (each)	99
UltraPush	X-c riser bar, 600mm, 6°+ 6° bend, Carbon/Ergal composite, alloy insert ends, smooth natural matt carbon finish, exceeds Uni / Din safety standards, 135gr	119
ScalHead	Integrated headset (44mm fitting) ideal for Scott etc. frames , same features as The Head 2, black anod. 52gr (incl. frame fittings and Top Cap) average weight saving 50gr	129
IntegrHead 2	Integrated 1"1/8 headset (42mmx45° frames), preload control, precision radial sealed upper cartridge, double sealed stainless lower cartridge, black anod. with laser etched graphics, 44gr (includes Top Cap)	119
The Head 2	Xc race headset, super-narrow top profile with precision radial sealed cartridge, preload control, double seals stainless bidirectional lower cartridge, black anod. with laser etched graphics, 62gr (includes Top Cap)	129
UltraStar 2	Hyper engineered 3D cnc removable expander, fits Alu or Carbon 1"1/8 steer tubes (min. 23.3, max. 25.2mm internal diam.), smooth Or-contacts, "Hart-Coat" main cone, Ergal cnc construction, 6.9gr	29
Top Cap	Headset 1"1/8 stem cnc cap, black-blue-gold-red-silver-orange-green anodized with laser etched graphics, includes M6x24mm Ergal preload bolt, 4.5gr	24
UltraGrips	Soft & durable grips, ergonomically shaped Eva, rounded edges, embossed graphics, plug ends, matt black, 8gr (each)	16
MTB Braking		
UltraLevers 2	Hyper accurate 3D cnc construction, V-Brake specific levers, highly reactive 2 fingers ergonomically levers, micro tunable, durable "bronze hart-coat" levers, Ergal body, black-red-blue-silver-green-purple anodized with laser etched graphics, 54gr (pair)	169
UltraBrakes	Hyper accurate 3D cnc construction, responsive Ergal V-Brake, easily & precisely adjustable Beta Titanium linear springs, 4 sealed ball bearings, black anodized only with laser graphics, complete with hardware & pads, 99gr (front or rear)	169
BrakeLevers-Kit	Includes 1 set UltraLevers2 and 2 sets UltraBrakes (fits one complete bike), additionally the kit is offered in black-red-blue-silver-green-purple anodized finishings, 252gr	499
MTB Seat Zone		
UltraPost 31.6 *	Hyper engineered 3D multishaped tube and 3D cnc saddle clamps, hard black anodized, laser etched graphics. Size 31.6mm, lengths & weights: 31.6x300mm 129g , 31.6x350mm 138g , 31.6x380mm 145gr .	169
MiniPost 31.6 *	Hyper engineered 3D multishaped tube and 3D cnc saddle clamps, hard black anodized, laser etched graphics. Size 31.6mm, lengths & weights: 31.6x120mm 79gr	129
UltraClamp		29
	Hyper accurate cnc seat collar, smooth rounded edges, special Titanium GRD5 bolt, 31.8mm or 34.9mm, black-blue-gold-red-silver-orange-green anodized with laser etched graphics 11gr (size 31.8mm, bolt included)	
TheSaddle UL2 *	Extralite edition of Selle Italia SLR , carbon rails, special padding and covering, embossed graphics & Pin-Up, black, white, silver, red. 129gr	139
TheSaddle UL3 *	Extralite edition of Selle Italia SLR Flow, carbon rails, special padding and covering, embossed graphics, black, white, silver, natural. 119gr	149

MTB Drivetrain

E-Bones W BB91-42	3D CNC integrated cranks, SSP design (pat. Pending), "Q" factor 160mm, oversized axle and bearings, 104/64mm BTC, 172.5-175mm, compatible with 2009 Specialized OS bb frames, black anodized with laser etched graphics, (colour tuning available) 482gr (complete set: cranks-axle-spider, spacers & bearings)	399
E-Bones W BB30-68	3D CNC integrated cranks, SSP design (pat. Pending), "Q" factor 160mm, oversized axle and bearings, 104/64mm BTC, 172.5-175mm, compatible with BB30-68mm standard shell , black anodized with laser etched graphics, 498gr (complete set: cranks-axle-spider, cups & bearings)	399
E-Bones W BB30-73	3D CNC integrated cranks, SSP design (pat. Pending), "Q" factor 165mm, oversized axle and bearings, 104/64mm BTC, 172.5-175mm, compatible with BB30-73mm shell, black anodized with laser etched graphics, 498gr (complete set: cranks-axle-spider, spacers, cups & bearings)	399
E-Bones W PF30-68	3D CNC integrated cranks, SSP design (pat. Pending), "Q" factor 160mm, oversized axle and bearings, 104/64mm BTC, 172.5-175mm, compatible with BB30-68mm standard shell , black anodized with laser etched graphics, 498gr (complete set: cranks-axle-spider, cups & bearings)	399
E-Bones W PF30-73	3D CNC integrated cranks, SSP design (pat. Pending), "Q" factor 165mm, oversized axle and bearings, 104/64mm BTC, 172.5-175mm, compatible with BB30-73mm shell, black anodized with laser etched graphics, 498gr (complete set: cranks-axle-spider, spacers, cups & bearings)	399
E-Bones W BSA68	3D CNC integrated cranks, SSP design (pat. Pending), "Q" factor 160mm, oversized axle and bearings, 104/64mm BTC, 172.5-175mm, compatible with BSA68mm shell , black anodized with laser etched graphics, 498gr (complete set: cranks-axle-spider, cups & bearings)	399
E-Bones W BSA73/68	3D CNC integrated cranks, SSP design (pat. Pending), "Q" factor 165mm, oversized axle and bearings, 104/64mm BTC, 172.5-175mm, compatible with BSA73mm and BSA68 shells, black anodized with laser etched graphics, 498gr (complete set: cranks-axle-spider, cups & bearings)	399
HDC-Hybrid W	Factory installed option for all E-BonesW, hi-quality heavy-duty Hybrid Ceramic bearings, low friction NBR 2RS seals. Weight increase 2gr	49
OctaRamp Gara	Integrated double chainring setup, 28T/42T, optimized chain-line, middle ring mount position, compatible with BCD 104mm 4 bolt standard cranks, integrated, threaded sockets. Hyper accurate 3D CNC, durable black and "Hart-Coat" anodized surface, laser etched graphics, 78gr (set)	149
OctaRamp 30T	Specific inner chainring for 2 x 9 setups, BCD 104mm 4 bolt standard, 4 integrated & threaded chainring bolt females. Hyper accurate cnc, black anodized Ergal with machined sides and laser etched graphics, 28gr	49
OctaRamp 44T	8 shifting ramps, BCD 104mm 4 bolt standard / 9 speed chains. Hyper accurate cnc, black anodized Ergal with machined sides and laser graphics, 62gr	49
OctaRamp 32T	8 shifting ramps, RCD 104mm 4 bolt standard / 9 speed chains. Hyper accurate cnc, black anodized Ergal with machined sides and laser graphics, 28gr	39
OctaRamp 22E	Narrow profile, BCD 64mm standard, 4 bolt holes (10mm for E-Bones / FishBones), 9 speed chains. Hyper accurate cnc, black anodized Ergal with machined sides and laser etched graphics, 16gr	24
OctaRamp 22T	Narrow profile, BCD 64mm standard, 4 bolt holes (8mm Shim, etc), 9 speed chains. Hyper accurate cnc, black anodized Ergal with machined sides and laser etched graphics, 16gr	24
ExtraBolt 1	Chainring bolt set (4 males + 4 females), Torx standard, hyper accurate cnc AL 7075 T6, self locking nuts, black-blue-gold-red-silver-orange-green anodized with laser etched graphics 7.2gr (set)	19
ExtraBolt 1.2	Chainring bolt set (4 males), Torx standard, hyper accurate cnc AL 7075 T6, black-blue-gold-red-silver-orange-green anodized with laser etched graphics 4.8gr (set)	12

MTB Wheelsets

HyperDisc Ltd.	EDGE Carbon Tubular rims laced to Black or Red HyperFront & HyperRear hubs, 24+28 Triple-butted aero-bladed straight-pull spokes, internal ABS hex. nipples, available in limited edition only 965 gr (pair)	2299
HyperDisc L Ltd.	EDGE Carbon Tubular rims laced to Black or Green HyperLefty & HyperRear hubs, 24+28 Triple-butted aero-bladed straight-pull spokes, internal ABS hex. Nipples, available in limited edition only 970 gr (pair)	2299
HyperDisc MMX2	MMX Podium 26 rims laced to HyperFront & HyperRear hubs, 32+32 MegaLite extreme-butted aero-bladed straight-pull spokes, Red Ergal ABS nipples, option: black or red hubs. 1095 gr (pair)	1149
HyperDisc MMX2 L	MMX Podium 26 rims laced to black HyperLefty & HyperRear hubs, 32+32 MegaLite extreme-butted aero-bladed straight-pull spokes, Red Ergal ABS nipples. 1100 gr (pair)	1149
UltraTerra TNT	Special NoTubes 355 rims laced to Black UltraFront SP & UltraRear SP, 28+28 Triple-butted aero-bladed gold Beta-C Titanium straight-pull spokes, Red Ergal ABS nipples, Valves & tape included, 1140 gr (pair)	999
HDC-Hybrid F	Factory installed option for "HyperFront " or "UltraFront SP" hubs. Hi-quality heavy-duty Hybrid Ceramic bearings, low friction NBR 2RS Seals.	49
HDC-Hybrid R	Factory installed option for "HyperRear " or "UltraRear SP" hubs. Hi-quality heavy-duty Hybrid Ceramic bearings, low friction NBR 2RS Seals.	79

MTB Hubs & QR

HyperFront	Race-proof hyper engineered 100mm front disc hub, total sealing, oversized 17mm axle, oversized low friction sealed cartridge bearings (high load capacity) with external micro-tuner, 24/28/32H flanges for straight-pull d/b spokes, black anodized body, laser etched graphics, 78gr	199
HyperRear	Race-proof hyper engineered 135mm rear disc hub, total sealing, oversized low friction sealed cartridge bearings (high load capacity) with external micro- tuner, oversized 17mm axle, front-engagement freewheel 36E positions, 28/32H flanges for straight-pull d/b spokes, black anodized body, laser etched graphics, 168gr	449
HyperLefty	Hyper engineered Lefty compatible hub, 24/28/32H flanges for straight-pull d/b spokes, ABEC-5 low friction cartridge bearings, black anodized body with laser etched graphics, 84gr (includes Ergal bolt and extractor)	199
HyperFront QR15	Race-proof hyper engineered QR15/100mm front disc hub, total sealing, oversized 17mm axle, oversized low friction sealed cartridge bearings (high load capacity) with external micro-tuner, 24/28/32H flanges for straight-pull d/b spokes, black anodized body, laser etched graphics, 78gr	199
HyperRear QR12	Race-proof hyper engineered E-thru/142mm rear disc hub, total sealing, oversized low friction sealed cartridge bearings (high load capacity) with external micro- tuner, oversized 17mm axle, front-engagement freewheel 36E positions, 28/32H flanges for straight-pull d/b spokes, black anodized body, laser etched graphics, 168gr	449
HDC-Hybrid F	Factory installed option for "HyperFront / HyperFront QR15 / HyperLefty" hubs. Hi-quality heavy-duty Hybrid Ceramic bearings, low friction NBR 2RS Seals.	49
HDC-Hybrid R	Factory installed option for "HyperRear / HyperRear QR12 " hubs. Hi-quality heavy-duty Hybrid Ceramic bearings, low friction NBR 2RS Seals.	79
Aliens2	MTB & Road quick releases, ergonomic & butter-smooth operation, exotic 3D cnc construction, butted & honed Titanium GRD5 rods (1,3 ton pull strength), spring retainers + lever position retainer, threadlocking nut, black-blue-gold-red-silver-orange-green anodized with laser graphics, 59gr (pair)	119

Road Components

RoadStem OC	Hyper engineered 3D cnc stem, 1"-1/8 steer, 31.8mm oversized bars, +/-8° rise, 90-100-110-120-130mm, special Titanium GRD5 bolts, oversized and ultra rigid body, black anodized, Co2 laser etching, 82gr (90mm)	169
RoadStem UL3	Hyper engineered 3D cnc stem, 1"-1/8 steer, 26.0mm standard bars, +/-8° rise, 90-100-110-120mm, special Titanium GRD5 bolts, oversized and ultra rigid body, black anodized, Co2 laser etching, 78gr (90mm)	169
ExtraBolt 11	Precision CNC adapter, 1"-1/8 RoadStem to 1" fork tubes, internal machined butting, gun-metal anodized, 9gr	16
IntegrHead 2	Integrated 1"1/8 headset (42mmx45° frames), preload control, precision radial sealed upper cartridge, double sealed stainless lower cartridge, black anod. with laser etched graphics, 44gr (includes Top Cap)	119
ScalHead	Integrated headset (44mm frame fitting), same features as The Head 2, black anod. 52gr (includes frame fittings and Top Cap)	129
The Head 2	Xc race headset, super-narrow top profile with precision radial sealed cartridge, preload control, double seals stainless bidirectional lower cartridge, black anod. with laser etched graphics, 62gr (includes Top Cap)	129
Top Cap	Headset 1"1/8 stem cnc cap, black-blue-gold-red-silver-orange-green anodized with laser etched graphics, includes M6x24mm Ergal preload bolt, 4.8gr	24
UltraStar 2	Hyper engineered 3D cnc removable expander, fits Alu or Carbon 1"1/8 steer tubes (min. 23.3, max. 25.2mm internal diam.), smooth Or-contacts, "Hart-Coat" main cone, Ergal cnc construction, 6.9gr	29
UltraClamp	Hyper accurate cnc seat collar, smooth rounded edges, special Titanium GRD5 bolt, 31.8mm or 34.9mm, black-blue-gold-red-silver-orange-green anodized with laser etched graphics 11gr (size 31.8mm, bolt included)	29
MiniPost 31.6 *	Hyper engineered 3D multishaped tube and 3D cnc saddle clamps, hard black anodized, laser etched graphics. Size 31.6mm, lengths & weights: 31.6x120mm 79gr	129
TheSaddle UL2 *	Extralite edition of Selle Italia SLR, carbon rails, special padding and covering, embossed graphics & Pin-Up, black, white, silver, red. 129Gr	119
TheSaddle UL3 *	Extralite edition of Selle Italia SLR Flow, carbon rails, special padding and covering, embossed graphics, black, white, silver, natural. 119Gr	129

Road Drivetrain

QRC-2 BB91-42	Integrated crankset, super narrow "Q" factor 139mm, integrated chainring spider 110mm BTC, oversized axle and bearings, hyper accurate exotic 3D CNC levers, 172.5mm, SSP design (pat. Pending), black anodized with laser etched graphics, compatible with BB91-42 shell, 460gr (complete set: cranks, spider, axle, bolts, bearings & spaces)	494
QRC-2 BB30-68	Integrated crankset, super narrow "Q" factor 139mm, integrated chainring spider 110mm BTC, oversized axle and bearings, hyper accurate exotic 3D CNC levers, 172.5mm, SSP design (pat. Pending), black anodized with laser etched graphics, compatible with BB30-68mm shell, 480gr (complete set: cranks, spider, axle, bolts, bearings & cups)	494
QRC-2 PF30-68	Integrated crankset, super narrow "Q" factor 139mm, integrated chainring spider 110mm BTC, oversized axle and bearings, hyper accurate exotic 3D CNC levers, 172.5mm, SSP design (pat. Pending), black anodized with laser etched graphics, compatible with PressFit30-68mm shell, 480gr (complete set: cranks, spider, axle, bolts, bearings & cups)	494
QRC-2 BSA68	Integrated crankset, super narrow "Q" factor 139mm, integrated chainring spider 110mm BTC, oversized axle and bearings, hyper accurate exotic 3D CNC 172.5mm levers, SSP design (pat. Pending), black anodized with laser etched graphics, compatible with BSA 68mm shell, 480gr (complete set: cranks, spider, axle, bolts, bearings & cups)	494
ZeroUp QRC	Option for all QRC2 versions. Factory installed Enduro Zero Hybrid Ceramic bearings. Triple Cryogenic Race Treatment, CERBEC USA Grade 3 Balls, ABEC 5 Precision, rust-proof black finishing, low friction Silicone VV Seals. Weight saving 4gr	79
OctaRamp RC 2	50-34T chainring set, compatible with 11, 10, 9V chains, 110mm BTC, 5 shifting ramps, hard black anodized laser etched graphics, 94gr (set)	149
OctaRamp CH	53-39T chainring set, 110mm BTC, compatible with 11, 10, 9V chains, 5 shifting ramps, durable "Hart-Coat" anodized surface, laser etched graphics, 105gr (set)	129
ExtraBolt 1	Chainring bolt set (4 males + 4 females), Torx standard, hyper accurate cnc AL 7075 T6, self locking nuts, black-blue-gold-red-silver-orange-green anodized with laser etched graphics 7.2gr (set)	19

Road Wheelsets

HyperClimb E25	Hill climbing & Hi-sprinting, Edge 1.25 Carbon rims (25mm) laced to straight-pull flanged UltraHubs SPX/SPM, 20+24 Triple-butted aero-bladed black spokes, internal Ergal ABS nipples, 830gr (pair)	2199
UltraClimb E45	Allround & Hi-sprinting, Edge 1.45 rims (46mm) laced to straight-pull flanged UltraHubs SP/SPM, 20+24 Triple butted aero-bladed black spokes, internal Ergal ABS nipples, 990gr (pair)	2099
UltraSpeed E68	Aerodynamic & sprinting, Edge 1.68 Carbon rims (68mm) laced to straight-pull flanged UltraHubs SP/SPM, 16+20 Triple-butted aero-bladed black spokes, internal Ergal ABS nipples, 1090gr (pair)	2099
HyperClinch SP	Hi-sprinting, Alpha NoTubes clincher rims (24mm) laced to straight-pull flanged UltraHubs SPX/SPM, 24+28 butted-aero-bladed black spokes, Red Ergal ABS nipples, 1150gr (pair)	899
ZeroUp F	Option for all "UltraFront" road hub versions. Factory installed Enduro Zero Hybrid Ceramic bearings. Triple Cryogenic Race Treatment, CERBEC USA Grade 3 Balls, ABEC 5 Precision, rust-proof black finishing, low friction Silicone VV Seals. Weight saving 1gr	49
ZeroUp R	Option for all "UltraRear" road hub versions. Factory installed Enduro Zero Hybrid Ceramic bearings. Triple Cryogenic Race Treatment, CERBEC USA Grade 3 Balls, ABEC 5 Precision, rust-proof black finishing, low friction Silicone VV Seals. Weight saving 3gr	89

Road Hubs & QR

UltraFront SX	Race-proof hyper engineered 100mm front hub, 16/18/20/24H flanges accept standard spokes and radial lacing, oversized 14mm axle, low-friction sealed cartridge bearings with external micro-tuner, black anodized body with laser etched graphics, "Hart-Coated" axle-ends, 49gr (24h)	149
UltraRear SX	Race-proof hyper engineered 130mm rear "road only" hub, 20/24/28H. Optimized spoke camber. Right flange accepts straight-pull spokes - Left flange accepts standard spokes and radial lacing on left side. Oversized axle Ø17mm , ABEC5 serviceable sealed cartridge bearings (high load capacity) with external preload tuner. Titanium 30T ratched wheel, Ergal OR-spring sealed freewheel body available for Shim/Sram or Campag. cassette. Black anodized hub-body with laser etched graphics, "Hart-Coated" axle-ends, 134gr (20h)	399
UltraFront SL2	Race-proof hyper engineered 100mm front hub, 16/18/20/24/28/32H flanges accept standard spokes and radial lacing, oversized 17mm axle, high load capacity sealed cartridge bearings with external micro-tuner, black anodized body with laser etched graphics, "Hart-Coated" axle-ends, 59gr (28h)	149
UltraRear SLX	Race-proof hyper engineered 130mm rear "road only" hub, 20/24/28/32H. Optimized spoke camber. Left and right flange accept standard "elbow" spokes and radial lacing on left side. Oversized axle Ø17mm , ABEC5 serviceable sealed cartridge bearings (high load capacity) with external preload tuner. Titanium 30T ratched wheel, Ergal OR-spring sealed freewheel body available for Shim/Sram or Campag. cassette. Black anodized hub-body with laser etched graphics, "Hart-Coated" axle-ends, 139gr (28h)	359
ZeroUp F	Factory installed option for "UltraFront " road hub, hi-quality Hybrid Ceramic precision bearings. Triple Cryogenic Race Treatment, CERBEC USA Grade 3 Balls, ABEC 5 Precision, rust-proof black finishing, low friction Silicone VV Seals. Weight saving 1gr	49
ZeroUp R	Factory installed option for "UltraRear " road hub, hi-quality Hybrid Ceramic precision bearings. Triple Cryogenic Race Treatment, CERBEC USA Grade 3 Balls, ABEC 5 Precision, rust-proof black finishing, low friction Silicone VV Seals. Weight saving 3gr	89
Aliens2	MTB & Road quick releases, ergonomic & butter-smooth operation, exotic 3D cnc construction, butted & honed Titanium GRD5 rods (1,3 ton pull strength), spring retainers + lever position retainer, threadlocking nut, black-blue-gold-red-silver-orange-green anodized with laser graphics, 59gr (pair)	119
Streeters *	Road-only quick releases, 3D cnc trallice construction, forged-butted-honed aerospace quality Titanium GRD5 rods (1 ton pull strength), black-blue-gold-red-silver-orange-green anodized with laser graphics, 29gr (pair)	99

ExtraBolts

ExtraBolt 1	Chaining bolt set (4 males + 4 females), Torx standard, hyper accurate cnc AL 7075 T6, self locking nuts, black-blue-gold-red-silver anodized with laser etched graphics 7.2gr (set)	19
ExtraBolt 1.1	Chaining bolt set (5 males + 5 females), Torx standard, hyper accurate cnc AL 7075 T6, self locking nuts, black-blue-gold-red-silver anodized with laser etched graphics 9gr (set)	24
ExtraBolt 1.2	Chaining bolt set (4 males), Torx standard, hyper accurate cnc AL 7075 T6, black-blue-gold-red-silver anodized with laser etched graphics 4.8gr (set)	12
ExtraBolt 2	JIS bb bolt set (2 pcs.), hyper accurate cnc AL 7075 T6, self locking O-rings, black-gold-red-silver anodized with laser etched graphics, 12gr (set)	16
ExtraBolt 3.3	Cassette locking ring, hyper accurate AL 7075 T6 cnc, ExtraBolt 3.3 fits Shim./Sram (11&12T), black-blue-gold-red anodized with laser etched graphics, 3.4gr	19
ExtraBolt 3.4	Cassette locking ring, hyper accurate AL 7075 T6 cnc, ExtraBolt 3.4 fits Campagnolo M27 (11&12T), black-blue-gold-red anodized with laser etched graphics, 3.4gr	19
ExtraBolt 4	Brake bolt set (4 pcs.), hyper accurate AL 7075 T6 cnc & rolled threads, ExtraBolt 4.0 fits Shim. V-brakes, ExtraBolt 4.1 fits most Avid & general V-brakes, ExtraBolt 4.2 fits Magura Martha calipers, black, blue, red, gold anodized, 5.6gr (set.)	16
ExtraBolt 5	Hollow BB bolt set (2 pcs.) M12x1mm thread, hyper accurate AL 7075 T6 cnc, self locking O-rings, gold anod. with laser etched graphics, 12gr (set)	19
ExtraBolt 6	Set of special Titanium GRD5 bolts (2pc. M5-16mm + 4pc. M4-12mm) , fits all Extralite stems 6,7gr (set)	39
ExtraBolt 6.2	Set of special Titanium GRD5 Torx bolts (2pc. M5-16mm + 4pc. M4-12mm), fits all Extralite stems 5,8gr (set)	46
ExtraBolt 7	Set of special Titanium GRD5 bolts (2pc. M5-30mm.), fits Extralite ThePost/UL2 series, 5,2gr (set)	19
ExtraBolt 8	V-brake pivot set (2pcs.), AL 7075T6 cnc rolled threads, ExtraBolt 8,0 M8 fits Rock Shox and general forks, ExtraBolt 8,1 M8x1, ExtraBolt 8,2 M10x1.25 fits most frames, set 8,4gr	19
ExtraBolt 9.1	Disc rotor mount bolt set (6 pcs.), hyper accurate cnc & rolled threads, Titanium GRD5, 4.9gr (set)	29
ExtraBolt 10	Steer tube spacers kit, hyper accurate Derlin cnc, size 1"1/8, each set includes 2x5mm (1.7gr each) + 1x10mm (3.3gr.) spacers, 7,8gr (set)	16
ExtraBolt 11	Precision CNC adapter, 1"-1/8 RoadStem to 1" fork tubes, internal cnc machining, gun-metal anodized, 9,8gr	16
ExtraBolt 12	Special M5 flat head bolt set (4pcs.), Shim. derailier pulley compatible and/or bottle cage, hyper accurate cnc AL 7075 T6, black-blue-red-gold anodized, set 2.8gr	16
ExtraBolt 13	Precision CNC adapter, 34.9mm seat-tube to 31.6mm seatpost, black derlin, safe 90mm lenght, 22gr	19
ExtraBolt 14	Special M5 Titanium GRD5 bolt set (2 pcs.), fit for front and rear derailleurs cable lock (Shim/Camp), accurate cnc, rolled threads, 2,1gr (set)	16
ExtraBolt 15	Derailier pulley wheelset (2 pcs.), Shim.-Campa.-Sram compatible, hyper accurate Derlin cnc, 4 precision bearings with low friction 2RS seals, 4.9gr (each)	49

Prices and conditions

Prices in Euro. Prices include European retail tax and do not include shipping cost.

Prices and specifications subject to change without notice.

(*) Available in June/July

How to Order

Use our web-shop or email to place your direct order.

Payments

- 1) Invoice + Visa/MC charging on shipping day.
- 2) Proforma invoice + IBAN money transfers only over Euro 250.

Shipping at money transfer receiving

Our Bank details:

Banca Sella, ag. G8

Viale Piave 4, 20129 Milano, Italy.

Iban code: IT 50 H 03268 01605 052905865591

Swift code: SELBIT2BXXX

Acc.name: Studio Riva SRL

Shipping

- 1) Recorded post service, within 2kg, regular size only.
- 2) Express: Euro DPD or IPC, for regular and oversized box.
- 3) Insurance option, up to Euro1500 / box.

Contacts

email: studioriva@extralite.com

Fax +390371 203754 Phone: +390371 203059 Monday to Friday, 10am to 6pm central European time.

Operative adress: Studio Riva SRL, Via dei Boschi 8, 26813 Graffignana, Lodi, Italy.

International Limited Warranty

Extralite products are warranted against manufacturing defects for two years. The warranty is expressly limited to replacement or repair of the defective part. Please see our detailed warranty conditions.

Copyright

Extralite products are manufactured and distributed by Studio Riva SRL. Extralite design and trademark are exclusive property of Studio Riva SRL.

- 1) Publishing Extralite logo and/or images and specifications of our products is not allowed without our express authorization.
- 2) The above authorization automatically expires if the publishing results offensive or not adequate to Extralite presentation standards at the Studio Riva SRL sole judgment.
- 3) The above authorization automatically expires if the publishing includes any price different from our current retail pricelist.
- 4) Extralite trademark, products and design are a property of Studio Riva SRL.

