



## International Retail Pricelist – March 2015 (Prices in Euro)

		<b>Retail</b>
<b>Cockpit</b>		
<b>HyperStem O-6</b>	Stem for 31.8mm bars, 1"-1/8 steer. +/-6° rise, 80-90-100-110-120mm, suitable for enduro x-c and road-racing uses, 3D cnc oversized and ultra rigid body, special Titanium GRD5 torx bolts, Co2 laser etching, <b>69g</b> (80mm)	€ 171,82
<b>HyperStem O-12</b>	Stem for 31.8mm bars, 1"-1/8 steer. +/-12° rise, 80-90-100-110-120mm, suitable for enduro x-c and road-racing uses, 3D cnc oversized and ultra rigid body, special Titanium GRD5 torx bolts, Co2 laser etching, <b>71g</b> (80mm)	€ 171,82
<b>HyperBar</b>	X-c racing handlebar, 31,8mm clamp, 6° bend, +/- 5mm rise, lenght 550-750mm, carbon composite construction, exceeds Uni / Din safety standards, UD matt carbon finish, not compatible with bar-ends. <b>98g</b> (700mm)	€ 171,82
<b>HyperBar UL</b>	X-c racing handlebar, 31,8mm clamp, 6° bend, +/- 5mm rise, lenght 550-750mm, carbon composite construction, exceeds Uni / Din safety standards, natural 3k matt carbon finish, not compatible with bar-ends. <b>89g</b> (700mm)	€ 226,36
<b>HyperBar BEC</b>	X-c racing handlebar, 31,8mm clamp, 6° bend, +/- 5mm rise, custom made lenght (550-750mm), carbon composite construction with reinforced ends, exceeds Uni / Din safety standards, natural 3k matt carbon finish, compatible with bar-ends. <b>98g</b> (650mm)	€ 226,36
<b>UltraStem UL3</b>	3D cnc stem for 25.4mm MTB bars, 1"-1/8 steer. +4° rise, 90-100-110-120mm, suitable for x-c use, oversized and ultra rigid body, special Titanium GRD5 bolts, black anodized, Co2 laser etching, <b>82g</b> (90mm)	€ 135,45
<b>RoadStem UL3</b>	3D cnc stem for 26.0mm Road bars, 1"-1/8 steer. -8° rise, 90-100-110-120mm, suitable for road use, oversized and ultra rigid body, special Titanium GRD5 bolts, black anodized, Co2 laser etching, <b>78g</b> (90mm)	€ 135,45
<b>UltraBar UL</b>	X-c racing handlebar, 560mm, 4° bend, 25.4mm clamp, bar-end compatible reinforced ends, Carbon/Ergal composite construction, exceeds Uni / Din safety standards, natural matt carbon finish, <b>98g</b>	€ 90
<b>UltraBar 580mm</b>	X-c racing handlebar, 580mm, 4° bend, 25.4mm clamp, bar-end compatible reinforced ends, Carbon/Ergal composite construction, exceeds Uni / Din safety standards, natural matt carbon finish, <b>105g</b>	€ 80,91
<b>UltraBar 560mm</b>	X-c racing handlebar, 560mm, 4° bend, 25.4mm clamp, bar-end compatible reinforced ends, Carbon/Ergal composite construction, exceeds Uni / Din safety standards, natural matt carbon finish, <b>105g</b>	€ 80,91
<b>UltraPush</b>	X-c riser bar, 600mm, 6°+ 6° bend, 25.4mm clamp, bar-end compatible reinforced ends, Carbon/Ergal composite construction, exceeds Uni / Din safety standards, natural matt carbon finish, <b>135g</b>	€ 90
<b>HyperGrips</b>	Soft & durable grips, ergonomically shaped Eva foam, embossed graphics, rounded edges, plug ends, matt black, <b>3.9g</b> (each)	€ 17,27
<b>CyberEnds</b>	X-c racing Bar extensions, hyper accurate 3D CNC construction, AL7075TX body, special M5 GRD5 Titanium bolts, black-orange-blue-gold-red-silver-green anodized with laser etched graphics, <b>19.5g</b> (each)	€ 90
<b>Headsets</b>		
<b>HyperCap</b>	Headset cap 1 1/8, ultra smooth cnc layout, unique hollow preload bolt M6x24mm. Black-blue-gold-red-silver-green-purple-orange anodized with laser etched graphics, <b>2.9g</b>	€ 26,36
<b>UltraStar 3</b>	Removable expander, fits Alu or Carbon 1 1/8 steer tubes ( min. 23.3, max. 25.2mm internal diameter), smooth edges and O-ring contacts, hyper engineered 3D cnc Ergal cnc construction. <b>5.9g</b>	€ 26,36
<b>UltraTop 34</b>	Upper headset stack, fits frame bore 34mm with standard 1-1/8 or tapered fork, S.H.I.S. Id.code EC34/28.6  . Custom radial bearing cartridge, 2rs sealed with additional external O-ring seal, black anod. with laser etched graphics, stack weight <b>15.6g</b> (HyperCap and UltraStar come included, add 2.9g+6.9g)	€ 80,91
<b>UltraTop 41</b>	Upper headset stack, fits frame bore 41mm with standard 1-1/8 or tapered fork, S.H.I.S. Id.code ZS41/28.6  . Custom radial bearing cartridge, 2rs sealed with additional external O-ring seal, black anod. with laser etched graphics, stack weight <b>12.9g</b> (HyperCap and UltraStar come included, add 2.9g+6.9g)	€ 80,91
<b>UltraTop 42</b>	Upper headset stack, fits frame bore 42mm with standard 1-1/8 or tapered fork, S.H.I.S. Id.code ZS42/28.6  . Custom radial bearing cartridge, 2rs sealed with additional external O-ring seal, black anod. with laser etched graphics, stack weight <b>13.1g</b> (HyperCap and UltraStar come included, add 2.9g+6.9g)	€ 80,91
<b>UltraTop 44</b>	Upper headset stack, fits frame bore 44mm with standard 1-1/8 or tapered fork, S.H.I.S. Id.code ZS44/28.6  . Custom radial bearing cartridge, 2rs sealed with additional external O-ring seal, black anod. with laser etched graphics, stack weight <b>14.1g</b> (HyperCap and UltraStar come included, add 2.9g+6.9g)	€ 80,91
<b>UltraTop 34 HD</b>	Upper headset stack, fits frame bore 34mm with standard 1-1/8 or tapered fork, S.H.I.S. Id.code EC34/28.6  . Enduro stainless bearing cartridge, angular contact and fully rebuildable, 2rs sealed with additional external O-ring seal, black anod. with laser etched graphics, stack weight <b>15.6g</b> (HyperCap and UltraStar come included, add 2.9g+6.9g)	€ 80,91
<b>UltraTop 41-42 HD</b>	Upper headset stack, fits frame bore 41 to 42mm with standard 1-1/8 or tapered fork, S.H.I.S. Id.code IS42/28.6   or IS41/28.6  . Enduro stainless bearing cartridge, angular contact and fully rebuildable, 2rs sealed with additional external O-ring seal, black anod. with laser etched graphics, stack weight <b>22g</b> (HyperCap and UltraStar come included, add 2.9g+6.9g)	€ 80,91
<b>UltraTop 44 HD</b>	Upper headset stack, fits frame bore 44mm with standard 1-1/8 or tapered fork, S.H.I.S. Id.code ZS44/28.6  . Enduro stainless bearing cartridge, angular contact and fully rebuildable, 2rs sealed with additional external O-ring seal, black anod. with laser etched graphics, stack weight <b>25.4g</b> (HyperCap and UltraStar come included, add 2.9g+6.9g)	€ 80,91
<b>UltraBottom 34</b>	Lower headset stack, fits frame bore 34mm with 1-1/8 fork, S.H.I.S. Id.code   EC34/30 . Enduro stainless bearing cartridge, angular contact, 2rs sealed and fully rebuildable, black anodized with laser etched graphics, <b>30.3g</b>	€ 44,55
<b>UltraBottom 41-42</b>	Lower headset stack, fits frame bore 41 to 42mm with 1 1/8 fork, S.H.I.S. Id.code   IS41/30 or   IS42/30. Enduro stainless bearing cartridge, angular contact, 2rs sealed and fully rebuildable, <b>19.9g</b> (including additional fork spacer)	€ 44,55
<b>UltraBottom 44</b>	Lower headset stack, fits frame bore 44mm with 1 1/8 fork, S.H.I.S. Id.code   ZS44/30. Enduro stainless bearing cartridge, angular contact, 2rs sealed and fully rebuildable, <b>23.8g</b> (including additional fork spacer)	€ 44,55
<b>UltraBottom 44T</b>	Lower headset stack, fits frame bore 44mm with 1.5" fork, S.H.I.S. Id.code   EC44/40. Enduro stainless bearing cartridge, angular contact, 2rs sealed and fully rebuildable, black anodized with laser etched graphics, <b>37.4g</b>	€ 53,64
<b>UltraBottom 51-52</b>	Lower headset stack, fits frame bore 51 to 52mm with 1.5" fork, S.H.I.S. Id.code   IS51/40 or   IS52/40. Enduro stainless bearing cartridge, angular contact, 2rs sealed and fully rebuildable, <b>25.3g</b> (including additional fork spacer)	€ 53,64
<b>UltraBottom 55</b>	Lower headset stack, fits frame bore 55mm with 1.5" fork, S.H.I.S. Id.code   ZS55/40. Enduro stainless bearing cartridge, angular contact, 2rs sealed and fully rebuildable, <b>31.6g</b> (including additional fork spacer)	€ 53,64
<b>UltraBottom 56</b>	Lower headset stack, fits frame bore 56mm with 1.5" fork, S.H.I.S. Id.code   ZS56/40. Enduro stainless bearing cartridge, angular contact, 2rs sealed and fully rebuildable, <b>32.1g</b> (including additional fork spacer)	€ 53,64
<b>ExtraBolt 16</b>	Precision crown adapter, (1"-1/8) 30.0mm fork tube to 1.5" tapered headsets (lower bearing position) <b>4.9g</b>	€ 17,27

## V-Braking

<b>BrakeLevers-Kit</b>	Includes 1 set UltraLevers2 and 2 sets UltraBrakes (fits one complete bike), this limited edition kit is offered in black-red-blue-silver-green-purple anodized finishings, <b>248gr</b> (complete bike set)	€ 453,64
<b>UltraLevers 2</b>	V-Brake specific levers, highly reactive 2 fingers ergonomically levers, micro tunable, Ergal body, hyper accurate 3D cnc construction, black-red-blue-silver-green-purple anodized with laser etched graphics, durable "bronze hart-coat" levers, <b>28gr</b> (each)	€ 153,64
<b>UltraBrakes</b>	V-Brake, powerful & responsive, precisely adjustable Beta Titanium linear springs, 4 sealed ball bearings hyper accurate 3D cnc construction, black anodized with laser etched graphics, complete with hardware & pads, <b>98gr</b> (front set or rear set)	€ 153,64

## MTB Seat zone

<b>UltraPost 31.6</b>	In-line 31.6mm seatpost, hyper engineered 3D cnc cradle and clamps, 3D multishaped tube, shoot-peened & black anodized surface, laser etched graphics. 31.6x350mm <b>138g</b>	€ 180,91
<b>HyperSaddle 62A (**)</b>	Ultra ergonomic full carbon saddle, specifically shaped for long distance races: x-c, marathon and road. Standard carbon rails oval 8x9mm section, natural carbon finish, <b>62g</b>	€ 262,73
<b>HyperSaddle 62B (**)</b>	Ultra ergonomic full carbon saddle, specifically shaped for medium distance races: x-c, marathon and road. Standard carbon rails oval 8x9mm section, natural carbon finish, <b>62g</b>	€ 262,73

## MTB Drivetrain

<b>OctaOne 30-32-34-36T</b>	Specific chainring for 1x11 / 1x10 setups, compatible with BCD 104mm 4 bolt standard cranks, 11s and 10s chains. Phased teeth, integrated & threaded chainring bolt females. Hyper accurate AL7075T6 cnc, durable "Hard-Black" anodized and laser etched graphics. <b>30T 28.5g / 32T 29.5g / 34T 32g / 36T 34.9g</b>	€ 62,73
<b>OctaRamp Gara</b>	Integrated double chainring setup, 28T/42T, optimized chain-line, middle ring mount position, compatible with BCD 104mm 4 bolt standard cranks and 9-10 speed chains, integrated threaded sockets. Hyper accurate 3D CNC, durable "Hard-black" and "Hart-Coat" bronze anodized, laser etched graphics, <b>78g</b> (set)	€ 135,45
<b>OctaRamp 30T</b>	Specific inner chainring for 2x10 & 2x9 setups, compatible with BCD 104mm 4 bolt standard cranks, middle ring mount position, integrated & threaded chainring bolt females. Hyper accurate cnc, durable "Hard-Black" anodized Ergal, machined sides and laser etched graphics, <b>28g</b>	€ 53,64
<b>OctaRamp 44T</b>	BCD 104mm 4 bolt standard / 9-10 speed chains, 8 shifting ramps. Hyper accurate cnc, "Hard-Black" anodized Ergal with machined sides and laser graphics, <b>59g</b>	€ 44,55
<b>OctaRamp 32T</b>	BCD 104mm 4 bolt standard / 9-10 speed chains, 8 shifting ramps. Hyper accurate cnc, "Hard-Black" anodized Ergal with machined sides and laser graphics, <b>32g</b>	€ 35,45
<b>OctaRamp 22T</b>	BCD 64mm standard, 4 bolt holes (8mm Shim, etc), 9-10 speed chains. Hyper accurate cnc, "Hard-Black" anodized Ergal with machined sides and laser etched graphics, <b>16g</b>	€ 21,82
<b>OctaRamp 22E</b>	BCD 64mm standard, 4 bolt holes (10mm for E-Bones / E-BonesW), 9-10 speed chains. Hyper accurate cnc, "Hard-Black" anodized Ergal with machined sides and laser etched graphics, <b>16g</b>	€ 21,82
<b>ExtraBolt 1</b>	Chainring bolt set (4 males + 4 females), Torx standard, hyper accurate cnc AL 7075 T6, self locking nuts, black-blue-gold-red-silver-orange-green anodized with laser etched graphics <b>7.2g</b> (set)	€ 17,27
<b>ExtraBolt 1.2</b>	Chainring bolt set (4 males), Torx standard, hyper accurate cnc AL 7075 T6, black-blue-gold-red-silver-orange-green anodized with laser etched graphics <b>4.8g</b> (set)	€ 10,91

## MTB Wheelsets

<b>CarboTense 29</b>	Ax-Lightness SRT 29 clincher carbon rims laced to Black HyperFront & HyperRear hubs, 32+32 MegaLite extreme-butted aero-bladed straight-pull spokes, black external DSN nipples, <b>1160g</b> (pair) Front hub options: 9x100mm - QR15 - Lefty Rear hub options: 10x135mm - QR12 (142/142+/X12) Freewheel options: Shimano 10/M11s or Sram XD (11s)	€ 2544,55
<b>CarboTense 27.5</b>	Ax-Lightness SRT 650b clincher carbon rims laced to Black HyperFront & HyperRear2 hubs, 28+28 MegaLite extreme-butted aero-bladed straight-pull spokes, black external DSN nipples, <b>1085g</b> (pair) Front hub options: 9x100mm - QR15 - Lefty Rear hub options: 10x135mm - QR12 (142/142+/X12) Freewheel options: 10/M11s or Sram XD (11s)	€ 2544,55
<b>CarboCamber 29</b>	Custom clincher carbon rims (offset) laced to Red or Black HyperFront & HyperRear2 hubs, 28+32 MegaLite extreme-butted aero-bladed straight-pull spokes, internal ABS hex. Nipples, <b>1160g</b> (pair) Front hub options: 9x100mm - QR15 - Lefty Rear hub options: 10x135mm - QR12 (142/142+/X12) Freewheel options: 10/M11s or Sram XD (11s)	€ 2044,55
<b>HyperCamber 29</b>	NoTubes Crest rims laced to Black HyperFront & HyperCamber2 hubs, 28+32 MegaLite extreme-butted aero-bladed straight-pull spokes, Red external DSN nipples with threadlock, <b>1290g</b> (pair) Front hub options: 9x100mm - QR15 - Lefty Rear hub options: 10x135mm - QR12 (142/142+/X12) Freewheel options: 10/M11s or Sram XD (11s)	€ 1180,91
<b>HyperCamber 27.5</b>	NoTubes Crest rims laced to Black HyperFront & HyperCamber2 hubs, 28+32 MegaLite extreme-butted aero-bladed straight-pull spokes, Red external nipples with threadlock, <b>1230g</b> (pair) Front hub options: 9x100mm - QR15 - Lefty Rear hub options: 10x135mm - QR12 (142/142+/X12) Freewheel options: 10/M11s or Sram XD (11s)	€ 1180,91
<b>HyperDisc MMX2</b>	26 MMX Podium rims laced HyperFront & HyperRear2 hubs, 32+32 MegaLite extreme-butted aero-bladed straight-pull spokes, Red Ergal ABS nipples, <b>1090g</b> (pair) Front hub options: 9x100mm - QR15 - Lefty Rear hub options: 10x135mm - QR12 (142/142+/X12) Freewheel options: 10/M11s or Sram XD (11s)	€ 999,09
<b>HyperTerra</b>	Reworked NoTubes 355 rims laced to 28+28 Hyper-V (brake) specific hubs. Radial spokes: Beta-C Titanium straight-pull-3butted aero-bladed. Drive spokes: stainless straight-pull-3butted aero-bladed Tin gold finish. External nipples with threadlock, <b>1120g</b> (pair) Front hub options: 9x100mm - QR15 Rear hub options: 10x135mm - QR12 (142/142+/X12) Freewheel options: 10/M11s or Sram XD (11s)	€ 999,09
<b>HDC-Hybrid F</b>	Factory installed optional upgrade for any front hub. Hi-quality heavy-duty Hybrid Ceramic bearings, low friction NBR 2RS seals, excellent durability.	€ 44,55
<b>HDC-Hybrid R</b>	Factory installed Optional upgrade for any rear hub. Hi-quality heavy-duty Hybrid Ceramic bearings, low friction NBR 2RS seals, excellent durability.	€ 90

## MTB Skewers & QR

<b>Black-Lock 15.1</b>	Front wheel 15mm through axle, compatible with DT Swiss XMM "Torsion Box" forks (143mm length / M15x1.5mm thread). Durable hard-black anodized finishing with laser etched graphics, <b>25g</b>	€ 62,73
<b>Black-Lock 15.2</b>	Front wheel 15mm through axle, compatible with DT Swiss XMM "Torsion Box & One Piece" forks (143mm length / M15x1.5mm thread). Durable hard-black anodized finishing with laser etched graphics, <b>26g</b>	€ 71,82
<b>Black-Lock 15.3</b>	Front wheel 15mm through axle, compatible with F32 and other Fox forks (146mm length / M14x1.5mm thread). Durable hard-black anodized finishing with laser etched graphics, <b>26g</b>	€ 71,82
<b>Black-Lock 15.4</b>	Front wheel 15mm through axle, compatible with Sid/Reba and other RockShox forks (147mm length / M15x1.5 thread). Durable hard-black anodized finishing with laser etched graphics, <b>26g</b>	€ 71,82
<b>Black-Lock 12.1</b>	Rear wheel 12mm through axle, compatible with Shimano E-Thru dropouts (168mm length / M12x1.5mm thread). Durable hard-black anodized finishing with laser etched graphics, <b>28g</b>	€ 71,82
<b>Black-Lock 12.2</b>	Rear wheel 12mm through axle, compatible with Specialized etc. dropouts (160mm length / M12x1.0mm thread). Durable hard-black anodized finishing with laser etched graphics, <b>28g</b>	€ 71,82
<b>Black-Lock 12.3</b>	Rear wheel 12mm through axle, compatible with RockShox Maxle dropouts (176mm length / M12x1.75mm thread). Durable hard-black anodized finishing with laser etched graphics, <b>28g</b>	€ 71,82
<b>Black-Lock 12.4</b>	Rear wheel 12mm through axle, compatible with Scott frame dropouts (168mm length / M12x1.0mm thread). Durable hard-black anodized finishing with laser etched graphics, <b>28g</b>	€ 71,82
<b>Aliens 3</b>	MTB specific quick releases, butter-smooth operation, 3D cnc ergonomic levers, self-lubing bushings, nuts and levers with self adjusting base-plates, spring retainers, forged-butted-honed aerospace Titanium GRD5 rods (1.3 ton pull strength). Black-blue-gold-red-silver-green anodized with laser etched graphics, <b>55g</b> (pair)	€ 108,18
<b>Aliens 4</b>	Road-disc & MTB quick releases (100/135mm), forged-butted-honed aerospace quality Titanium GRD5 rods (1.3 ton pull strength). 3D cnc construction levers, bronze bushing, nuts and levers with self adjusting base-plates, black-blue-gold-red-silver-green anodized with laser etched graphics, <b>39g</b> (pair)	€ 108,18

## MTB Hubs

<b>HyperWiz (*)</b>	Hyper engineered RS1 compatible hub. Massive carbon-ergal composite axle, 27.5mm, ABEC-5 high load capacity & low friction cartridge bearings, carbon-ergal black anodized body, <b>99g</b> Flanges (for straight-pull d/b spokes): 28-32H	€ 271,82
<b>HyperLefty</b>	Hyper engineered Lefty compatible hub. ABI Stainless high load capacity & low friction cartridge bearings, black anodized body with laser etched graphics, <b>84g</b> (includes Ergal axle-bolt and extractor/retainer) Flanges (for straight-pull d/b spokes): 24-28-32H	€ 135,45
<b>HyperFront</b>	Race-proof hyper engineered 9x100mm front disc hub. Oversized 17mm axle, ABI Stainless high load capacity & low friction sealed cartridge bearings with external micro-tuner and O-ring seals. 24-28-32h flanges for straight-pull d/b spokes, black anodized body, laser etched graphics, <b>78g</b> Flanges (for straight-pull d/b spokes): 24-28-32H Axle options: 9x100mm or QR15 (15mm thru-axle)	€ 180,91
<b>HyperRear2</b>	Race-proof hyper engineered rear disc hub. ABI Stainless high load capacity & low friction sealed cartridge bearings with external micro-tuner and O-ring seals, oversized 17mm axle. 36E front-engagement freewheel with lip-seal and twin-life hub-shell splines. black anodized body, laser etched graphics <b>163g</b> Flanges (for straight-pull d/b spokes): 24-28-32H Axle options: 10x135mm or QR12 (142/142+/X12 through axle). Freewheel options: 10/M11s or Sram XD (11s)	€ 426,36
<b>HyperCamber2</b>	Race-proof hyper engineered 29er specific rear disc hub. ABI Stainless high load capacity & low friction sealed cartridge bearings with external micro-tuner and O-ring seals, oversized 17mm axle. 36E front-engagement freewheel with lip-seal and twin-life hub-shell splines. Black anodized body, laser etched graphics <b>192g</b> Special 32H flanges for straight-pull d/b spokes, Axle options: 10x135mm or QR12 (142/142+/X12 through axle). Freewheel options: 10/M11s or Sram XD (11s)	€ 480,91
<b>Hyper JL</b>	Hyper engineered Lefty compatible hub. ABI Stainless high load capacity & low friction cartridge bearings, black anodized body with laser etched graphics, <b>88g</b> (includes Ergal axle-bolt and extractor) Flanges (for standard J-bend spokes): 28-32H	€ 162,73
<b>Hyper JF</b>	Race-proof hyper engineered 9x100mm front disc hub. Oversized 17mm axle, ABI Stainless high load capacity & low friction sealed cartridge bearings with external micro-tuner and O-ring seals, black anodized body with laser etched graphics, <b>85g</b> Flanges (for standard J-bend spokes): 28-32H Axle options: 9x100mm or QR15 (15mm thru-axle)	€ 162,73
<b>Hyper JR</b>	Race-proof hyper engineered rear disc hub. ABI Stainless high load capacity & low friction sealed cartridge bearings with external micro-tuner and O-ring seals, oversized 17mm axle. 36E front-engagement freewheel with lip-seal and twin-life hub-shell splines, black anodized body, laser etched graphics, <b>185g</b> Flanges (for standard J-bend spokes): 28-32H Axle options: 10x135mm or QR12 (142/142+/X12 through axle). Freewheel options: 10/M11s or Sram XD (11s)	€ 390
<b>HDC-Hybrid F</b>	Factory installed optional upgrade for any front hub. Hi-quality heavy-duty Hybrid Ceramic bearings, low friction NBR 2RS seals, excellent durability.	€ 44,55
<b>HDC-Hybrid R</b>	Factory installed Optional upgrade for any rear hub. Hi-quality heavy-duty Hybrid Ceramic bearings, low friction NBR 2RS seals, excellent durability.	€ 90

## MTB Hub accessories

<b>Alugrease Super1 (tube)</b>	Freewheel internal grease for all Extralite hubs, O-ring/seal/bushing friendly, does not contain chemical additives, extremely soft and not sensible to low nor high temperatures, <b>100g tube dispenser</b> Use only original Alugrease Super1 for all Extralite freewheel mechanism, see manuals for detailed instructions.	€ 10,91
<b>HyperFront Axle-assembly</b>	Complete axle assembly for HyperFront or HyperJF. All you need to switch between QR15 and QR (9mm) dropout standards; kit includes Axle + Micro-tuner + Right-Axle-end. see manuals for detailed instructions. Available for QR15 or QR (9mm) dropouts. <b>19.5g</b>	€ 62,73
<b>HyperRear Axle-assembly</b>	Complete axle assembly for HyperRear, HyperCamber or HyperJR. All you need to switch between QR12 (12x142-142+,X12) and QR (10x135mm) dropout standards; kit includes Axle + Micro-tuner + Right-Axle-end. Available for (12x142-142+,X12) and QR (10x135mm) dropouts, <b>39g</b>	€ 71,82
<b>HyperRear2 Freewheel kit</b>	Complete freewheel assembly for HyperRear2, HyperCamber2 or HyperJR. All you need to switch between Shimano/Sram 10s and Sram XD-drive 11s standards. Kit include freewheel body, floating ring, springs, lip-seal, bearings, 5cc of Alugrease Super1, HyperRear2 XD kit <b>35g</b> / HyperRear2 Shima kit <b>37g</b>	€ 99,09
<b>HyperRear Freewheel kit</b>	Complete freewheel assembly for HyperRear & HyperCamber (version 1). All you need to switch between Shimano/Sram 10s and Sram XD-drive 11s standards, kit includes freewheel body, floating ring, springs, bearings, 5cc of Alugrease Super1, <b>35g</b> or <b>37g</b>	€ 90
<b>HyperFront Bearing set</b>	ABEC 5 Abi-Enduro precision bearings for HyperFront / HyperJF (available also for HyperLefty)	€ 18,18
<b>HyperFront SS bear. set</b>	Stainless Abi-Enduro precision bearings for HyperFront / HyperJF	€ 29,09
<b>HyperFront HDC bear. set</b>	Hi-quality heavy-duty Hybrid Ceramic bearings for "HDC" HyperFront / HyperJF (available also for HyperLefty)	€ 52,73
<b>HyperRear Bearing set</b>	ABEC 5 Abi-Enduro precision bearings for all versions of HyperRear / HyperCamber / HyperJR	€ 36,36
<b>Hyperrear SS bear. set</b>	Stainless Abi-Enduro precision bearings for HyperRear / HyperCamber / HyperJR	€ 56,36
<b>HyperRear HDC bear. set</b>	Hi-quality heavy-duty Hybrid Ceramic bearings for all versions of "HDC" HyperRear / HyperCamber / HyperJR	€ 105,45

## Road Wheelsets

<b>CyberClimb A24</b>	Straight-pull flanged CyberFront SP and CyberRear SP laced to tubular Ax-Lightness "Ultra 24" carbon rims (24mm/700c), 20+24 Megalite extreme-butted aero-bladed black spokes, internal Hex. ABS nipples. Climbing & sprinting, <b>775g</b> (pair) Freewheel options: Shimano R11s / Campagolo 11S	€ 2362,73
<b>CyberMax C32 (*)</b>	Straight-pull flanged CyberFront SP and CyberRear SP laced to Custom (25x32mm) wide tubular carbon rims with spoke-offset at the rear, 20+24 Megalite extreme-butted aero-bladed black spokes, internal Hex. ABS nipples. Sprinting & all-round use, <b>895g</b> (pair) Freewheel options: Shimano R11s / Campagolo 11S	€ 1908,18
<b>CyberClinch Ltd (*)</b>	CyberFront SP and CyberRear SP laced to weight selected Alpha 340 clincher rims (24mm), 24+28 Megalite extreme-butted aero-bladed black spokes, black external DSN nipples w/threadlock. Training & sprinting, <b>1150g</b> (pair) Freewheel options: Shimano R11s / Campagolo 11S	€ 999,09
<b>HyperClinch SP</b>	UltraFront SPX and UltraRear SPX laced to Alpha 340 NoTubes rims (24mm), 24+28 butted-aero-bladed black spokes, red external DSN nipples with threadlock. Training & sprinting, <b>1240g</b> (pair) Freewheel options: Shimano/Sram 10s / Campagolo 11S / Shimano R11s	€ 817,27
<b>HDC-Hybrid F</b>	Factory installed optional upgrade for any front hub. Hi-quality heavy-duty Hybrid Ceramic bearings, low friction NBR 2RS seals, excellent durability.	€ 44,55
<b>HDC-Hybrid R</b>	Factory installed Optional upgrade for any rear hub. Hi-quality heavy-duty Hybrid Ceramic bearings, low friction NBR 2RS seals, excellent durability.	€ 90
<b>Streeters</b>	Road quick releases (100/130mm), forged-butted-honed aerospace quality Titanium GRD5 rods (1 ton pull strength). 3D cnc tralce construction levers, nuts and levers with self adjusting base-plates, black-blue-gold-red-silver-green anodized with laser etched graphics, <b>29g</b> (pair)	€ 108,18
<b>Alugrease Super1 (tube)</b>	Freewheel internal grease for all Extralite hubs, O-ring/seal/bushing friendly, does not contain chemical additives, extremely soft and not sensible to low nor high temperatures, <b>100g tube dispenser</b> Use only original Alugrease Super1 for Extralite freewheel mechanism, see manuals for detailed instructions.	€ 10,91

## Road Hubs & QR

<b>CyberFront SL</b>	Road-race front hub, 9x100mm standard, oversized 14mm axle, ABEC5 low-friction sealed cartridge bearings with external hexagonal preload tuner, black anodized body with laser etched graphics, "Hart-Coated" axle-ends, <b>49g</b> (24h) Flange options (for standard J-bend spokes): 16-20-24h	€ 135,45
<b>CyberRear SL</b>	Road-race rear hub, optimal spoke camber, 10x130mm standard, oversized axle Ø17mm, ABEC5 cartridge bearings (high load capacity) with external hexagonal preload tuner. Titanium 32T ratched wheel, OR-spring oversized and sealed freewheel body. Black anodized hub-body with laser etched graphics. <b>134g</b> (28h) Flanges options (for standard J-bend spokes): 20-24-28h Freewheel options: Campagolo 11S – Shimano/Sram 11s.	€ 326,36
<b>CyberFront SPD</b>	Front road-race/cyclocross disc hub, 9x100mm. Oversized 14mm axle, low friction sealed cartridge bearings with external hexagonal preload tuner, 24h flanges for straight-pull d/b spokes, black anodized body, laser etched graphics, <b>69g</b> Flanges (for straight-pull d/b spokes): 24h only Axle options: 9x100mm only	€ 180,91
<b>CyberRear SPD</b>	Rear road-race/cyclocross disc hub, optimized spoke camber, 10x135mm standard, oversized 17mm axle, 4 x ABEC5 cartridge bearings (high load capacity) with external hexagonal preload tuner. Titanium 32T ratched wheel, OR-spring oversized and sealed freewheel body. Black anodized hub-body with laser etched graphics, <b>145g</b> Flanges options (for standard straight-pull spokes): 24h only Freewheel options: Campagolo 11S – Shimano/Sram 11s.	€ 426,36
<b>UltraFront SL2</b>	Front road-race/cyclocross hub, 9x100mm front hub, oversized 17mm axle, high load capacity sealed cartridge bearings with external micro-tuner, black anodized body with laser etched graphics, "Hart-Coated" axle-ends, <b>59g</b> Flange options (for standard J-bend spokes): 16-20-24-28-32h	€ 135,45
<b>HDC-Hybrid F</b>	Factory installed optional upgrade for any front hub. Hi-quality heavy-duty Hybrid Ceramic bearings, low friction NBR 2RS seals, excellent durability.	€ 44,55
<b>HDC-Hybrid R</b>	Factory installed Optional upgrade for any rear hub. Hi-quality heavy-duty Hybrid Ceramic bearings, low friction NBR 2RS seals, excellent durability.	€ 90
<b>Streeters</b>	Road quick releases, forged-butted-honed aerospace quality Titanium GRD5 rods (1 ton pull strength). 3D cnc tralce construction levers, nuts and levers with self adjusting base-plates, black-blue-gold-red-silver-green anodized with laser etched graphics, <b>29g</b> (pair)	€ 108,18
<b>Aliens 4</b>	Road-disc & MTB quick releases (100/135mm), forged-butted-honed aerospace quality Titanium GRD5 rods (1.3 ton pull strength). 3D cnc construction levers, bronze bushing, nuts and levers with self adjusting base-plates, black-blue-gold-red-silver-green anodized with laser etched graphics, <b>39g</b> (pair)	€ 108,18
<b>Alugrease Super1 (tube)</b>	Freewheel internal grease for all Extralite hubs, O-ring/seal/bushing friendly, does not contain chemical additives, extremely soft and not sensible to low nor high temperatures, <b>100g tube dispenser</b> Use only original Alugrease Super1 for Extralite freewheel mechanism, see manuals for detailed instructions.	€ 10,91

## Road Drivetrain

<b>QRC-2</b>	Integrated crankset, super narrow "Q" factor 139mm, integrated chainring spider 110mm BCD, oversized axle and bearings, hyper accurate exotic 3D CNC 175-172.5mm levers, SSP design (pat. Pending), black anodized with laser etched graphics, available in the following BB versions: <b>BSA 68</b> (fits standard BSA threaded shell, width 68mm) <b>476g</b> <b>BB30</b> (fits BB30 shell, width 68mm / bore 42mm) <b>479g</b> <b>PF30</b> (fits PressFit 30-68 BB-shell, width 68mm / bore 46mm) <b>480g</b> <b>BB91-42</b> (fits PressFit shell width 84.5mm / internal 68.5mm / bore 46mm), <b>458g</b> <b>BB91-41B</b> (fits PressFit shell width 86.5mm / bore 41mm) <b>455g</b> <b>BB386 evo</b> (fits BB386 evo shell width 86.5 / bore 46mm), <b>479g</b> <b>BB Right 46</b> (fits BB Right width 79-offset / bore 46mm), <b>479g</b> Weights include cranks, spider, axle, bolts, bearings and bearing cups	€ 449,09
<b>HDC-Hybrid BB</b>	Optional upgrade for all QRC2 versions (except for BB91-41B version). Factory installed Hi-quality Hybrid Ceramic bearings, low friction NBR 2RS seals, excellent durability.	€ 71,82
<b>OctaRamp RC-2</b>	50-34T chainring set, compatible with 11, 10, 9V chains, 110mm BCD, 5 shifting ramps, hard black anodized laser etched graphics, <b>94g</b> (set)	€ 135,45
<b>OctaRamp MC</b>	52-36T chainring set, compatible with 11, 10, 9V chains, 110mm BCD, 5 shifting ramps, hard black anodized laser etched graphics, <b>98g</b> (set)	€ 135,45
<b>OctaRamp CH-2</b>	53-39T chainring set, 110mm BCD, compatible with 11, 10, 9V chains, 5 shifting ramps, hard black anodized laser etched graphics, <b>105g</b> (set)	€ 135,45
<b>ExtraBolt 1</b>	Chainring bolt set (4 males + 4 females), Torx standard, hyper accurate cnc AL 7075 T6, self locking nuts, black-blue-gold-red-silver-orange-green anodized with laser etched graphics <b>7.2g</b> (set)	€ 17,27
<b>ExtraBolt 1.1</b>	Chainring bolt set (5 males + 5 females), Torx standard, hyper accurate cnc AL 7075 T6, self locking nuts, black-blue-gold-red-silver anodized with laser etched graphics <b>9g</b> (set)	€ 21,82

## ExtraBolts

<b>ExtraBolt 1</b>	Chainring bolt set (4 males + 4 females), Torx standard, hyper accurate cnc AL 7075 T6, self locking nuts, black-blue-gold-red-silver-orange-green anodized with laser etched graphics <b>7.2g</b> (set)	€ 17,27
<b>ExtraBolt 1S</b>	Chainring bolt set (4 males + 4 short females), Torx standard, hyper accurate cnc AL 7075 T6, black-blue-gold-red-silver anodized with laser etched graphics <b>5.8g</b> (set)	€ 17,27
<b>ExtraBolt 1.1</b>	Chainring bolt set (5 males + 5 females), Torx standard, hyper accurate cnc AL 7075 T6, self locking nuts, black-blue-gold-red-silver anodized with laser etched graphics <b>9g</b> (set)	€ 21,82
<b>ExtraBolt 1.2</b>	Chainring bolt set (4 males), Torx standard, hyper accurate cnc AL 7075 T6, black-blue-gold-red-silver anodized with laser etched graphics <b>4.8g</b> (set)	€ 10,91
<b>ExtraBolt 2</b>	JIS bb bolt set (2 pcs.), hyper accurate cnc AL 7075 T6, self locking O-rings, black-gold-red-silver anodized with laser etched graphics, <b>12g</b> (set)	€ 14,55
<b>ExtraBolt 3.3</b>	Cassette locking ring compatible with Shimano10-11s (11&12T) and Sram 10s cogs, hyper accurate AL 7075 T6 cnc, black-blue-gold-red anodized with laser etched graphics, <b>3.4g</b>	€ 17,27
<b>ExtraBolt 3.4</b>	Cassette locking ring compatible Campagnolo 11s (11&12T), hyper accurate AL 7075 T6 cnc, black-blue-gold-red anodized with laser etched graphics, <b>3.4g</b>	€ 17,27
<b>ExtraBolt 3.5</b>	Cassette locking ring compatible with Shimano10-11s (11&12T) and Sram 11s cogs, hyper accurate AL 7075 T6 cnc, black-blue-gold-red anodized with laser etched graphics, <b>3.9g</b>	€ 17,27
<b>ExtraBolt 4</b>	Brake bolt set (4 pcs.): ExtraBolt 4.0 fits Shimano V-brakes, ExtraBolt 4.1 fits Avid & most other V-brakes, ExtraBolt 4.2 fits International Std. Disc brake callipers. Hyper accurate AL 7075 T6 cnc & rolled threads, black, blue, red, gold anodized, <b>5.6g</b> (set.)	€ 14,55
<b>ExtraBolt 4.5</b>	Post-Mount Disc brake caliper bolt set (4pcs.), hyper engineered Titanium GRD5 forged, cnc & thread-rolled with washers, <b>9.6g</b> (set.)	€ 26,36
<b>ExtraBolt 5</b>	Hollow BB bolt set (2 pcs.) M12x1mm thread, hyper accurate AL 7075 T6 cnc, self locking O-rings, black, red, gold anodized with laser etched graphics, <b>12g</b> (set)	€ 17,27
<b>ExtraBolt 6.2</b>	Set of special Titanium GRD5 Torx bolts (2pc. M5-16mm + 4pc. M4-12mm), fits all Extralite stems <b>5.8g</b> (set)	€ 41,82
<b>ExtraBolt 7</b>	Set of special Titanium GRD5 seatpost bolts (ExtraBolt 7.0 M5-30mm allen, fits ThePostUL2, 2pcs. 5.2g) (ExtraBolt 7.1 M5-25mm, torx, fits UltraPost, 2pcs. 4.1g) from <b>4.1g</b> (set)	€ 17,27
<b>ExtraBolt 8</b>	V-brake pivot set (2pcs.), AL 7075T6 cnc rolled threads, ExtraBolt 8,0 M8 fits Rock Shox and general forks, ExtraBolt 8,1 M8x1, ExtraBolt 8,2 M10x1.25 fits most frames, set <b>8.4g</b>	€ 17,27
<b>ExtraBolt 9.1</b>	Disc rotor mount Torx bolt set (6 pcs.), hyper accurate cnc & rolled threads, Titanium GRD5, <b>4.9g</b> (set)	€ 26,36
<b>ExtraBolt 10</b>	Steer tube spacers kit, hyper accurate Delrin cnc, size 1 1/8, each set includes 2x5mm (1.7gr each) + 1x10mm (3.3gr.) spacers, <b>7.8g</b> (set)	€ 14,55
<b>ExtraBolt 11</b>	Precision CNC adapter, 1"-1/8 RoadStem to 1" fork tubes, internal cnc machining, gun-metal anodized, <b>9.6gr</b>	€ 14,55
<b>ExtraBolt 12</b>	Special M5 flat head bolt set (4pcs.), Shim. derailleur pulley compatible and/or bottle cage, hyper accurate cnc AL 7075 T6, black-blue-red-gold anodized, set <b>2.8g</b>	€ 14,55
<b>ExtraBolt 13</b>	Precision CNC adapter, 34.9mm seat-tube to 31.6mm seatpost, black Delrin, safe 95mm length, <b>22g</b>	€ 17,27
<b>ExtraBolt 14</b>	Special M5 Titanium GRD5 bolt set (2 pcs.), fit for front and rear derailleurs cable lock (Shim/Camp), accurate cnc, rolled threads, <b>2.1g</b> (set)	€ 14,55
<b>ExtraBolt 15.0</b>	Pulley wheels (2 pcs.), compatible with Shima.-Campa.-Sram 9-10-11s derailleurs, 4 ABEC5 low-friction cartridge bearings with low friction 2RS seals, 10-Teeth, hyper accurate Delrin cnc. <b>4.9g</b> (each)	€ 53,64
<b>ExtraBolt 15.1</b>	Pulley wheels (2 pcs.), compatible with Shima.-Campa.-Sram 9-10-11s derailleurs, 4 ABEC5 low-friction cartridge bearings with low friction 2RS seals, 11-Teeth, hyper accurate Delrin cnc. <b>5.2g</b> (each)	€ 53,64
<b>ExtraBolt 15.2</b>	Pulley wheels (2 pcs.), compatible with Sram XD 11s derailleurs, 4 ABEC5 low-friction cartridge bearings with low friction 2RS seals, 12 Phased-Teeth, hyper accurate Delrin cnc. <b>6.9g</b> (each)	€ 53,64
<b>ExtraBolt 16</b>	Precision crown adapter, (1"-1/8) 30.0mm fork tube to 1.5" tapered headsets (lower bearing position) <b>4.9g</b>	€ 17,27

**Product marked with (\*) : availability forecast April 2015**

**Product marked with (\*\*) : availability forecast late 2015**

## Prices and conditions (International)

Prices are in Euro and do not include import tax and/or local retail tax. Prices do not include shipping cost.

Prices and specifications subject to change without notice.

### Product availability

Extralite parts are normally ready available, some wheel models could require 2 weeks.

Product marked with (\*) or (\*\*) are newcoming products available as specified above

### How to Order

Use our web-shop or email to place your direct order.

### Payments

- 1) Invoice + Visa/MC charging on shipping day.
- 2) Proforma invoice + IBAN money transfers only over Euro 500.  
Shipping at money transfer receiving

Our Bank details:

Banca Sella, ag. G8, Viale Piave 4, 20129 Milano, Italy.  
Iban code: IT 50 H 03268 01605 052905865591  
Acc.name: Studio Riva SRL, Swift code: SELBIT2BXXX

### Shipping

- 1) Recorded post service, within 2kg, regular size only.
- 2) Express: Euro DPD or IPC, for regular and oversized box.
- 3) Insurance option, up to Euro1500 / box.

### Contacts

email: [studioriva@extralite.com](mailto:studioriva@extralite.com)

Phone: +390371 203059 Monday to Friday, 10am to 6pm central European time.  
Operative address: Studio Riva SRL, Strada dei Boschi 8, 26813 Graffignana, Lodi, Italy.

### International Limited Warranty

Extralite products are warranted against manufacturing defects for two years. The warranty is expressly limited to replacement or repair of the defective part. Please see our detailed warranty conditions.

### Copyright

Extralite products are manufactured and distributed by Studio Riva SRL. Extralite design and trademark are exclusive property of Studio Riva SRL.

- 1) Publishing Extralite logo and/or images and specifications of our products is not allowed without our express authorization.
- 2) The above authorization automatically expires if the publishing results offensive or not adequate to Extralite presentation standards at the Studio Riva SRL sole judgment.
- 3) The above authorization automatically expires if the publishing includes any price different from our current retail pricelist.
- 4) Extralite trademark, products and design are a property of Studio Riva SRL.

